

# Kitchen Fittings and Accessories





## Information



Application matrix for  
– ventilation trim and grill quick search ..... 6.100

From page



Information on  
– kitchen cabinet fittings ..... 6.6  
– Ironfix ironing boards ..... 6.71  
– lift system ..... 6.133

From page

## Kitchen cabinet fittings



### Base unit

- Internal pull-outs ..... 6.8, 6.10
- High fronted drawer with railing, pull-out ..... 6.9, 6.16, 6.18
- Cleaning materials pull-out, bottle holder ..... 6.14, 6.15
- Wire shelf ..... 6.17

### Larder unit

- Pull-outs ..... 6.23
- Pull-out, swivelling ..... 6.25
- Pull-out ..... 6.31
- Pull-out, with electric door opener ..... 6.26
- Pull-out, with soft extension and closing mechanism ..... 6.30

### Fittings for corner units

- Corner unit half circle carousel fitting ..... 6.32, 6.36
- Corner unit pivoting pull-out fitting ..... 6.33, 6.35
- Three quarter circle carousel fittings ..... 6.37, 6.43
- Full circle carousel fittings ..... 6.42, 6.45
- Half circle carousel fittings ..... 6.46

### Wall unit fittings

- Internal pull-out ..... 6.48
- Carousel fittings ..... 6.49
- Pull-out table fittings ..... 6.52
- Drainer grill ..... 6.54
- Towel rails ..... 6.54

### Built-in shelves

- Scoops ..... 6.57
- Spice racks ..... 6.58
- Broom cupboard ..... 6.59

6

## Railing systems



### Railing systems

- Round tube ..... 6.60
- Grooved profile ..... 6.64

## Midway systems



Shelf suspension system with wire cable ..... 6.68

### Breakfast bar supports

- For glue fixing ..... 6.68
- For screw fixing / for glue fixing ..... 6.69

### Ironfix Ironing boards

- Wall mounting ..... 6.72
- Shelf mounting ..... 6.72
- Installation behind drawer front panels ..... 6.73
- Installation in drawer ..... 6.74
- Iron and ironing board holders ..... 6.75
- Insert mats ..... 6.75
- Insert trays ..... 6.76
- Step ladder ..... 6.77
- Broomstick holders ..... 6.79

## Waste/recycling bins



For installation behind hinged doors ..... 6.80  
For installation behind front panels ..... 6.89

For wall mounting/installation in  
worktop/hooks onto rail ..... 6.97




Sinks and taps

From page



Sinks .....	6.98	<b>Taps</b>	
		– Single lever tap .....	6.99
		– Tool case for tap mounting .....	6.99

Ventilation trims and grills



Ventilation trims .....	6.102	Decorative grills made of wood .....	6.121
<b>Ventilation grill</b>			
– Round .....	6.103		
– Oval .....	6.105		
– Straight-edged .....	6.105		

Mini bars



Mini bars .....	6.122
Connecting fitting for appliance doors .....	6.123

Kitchen cabinet construction



Protection rails .....	6.124	Cabinet hangers for base unit .....	6.132
Protective foil, heat reflecting .....	6.124		
<b>Cabinet hangers for wall unit</b>			
– Not visible inside the cabinet .....	6.125		
– Visible inside the cabinet .....	6.127		
– Wall rails .....	6.130		
– Wall plates .....	6.131		

Lift systems



Wall unit lift .....	6.134
Roller blind .....	6.134
Internal cabinet lift .....	6.135
Worktop lift .....	6.136



**Fittings for  
larger units**  
► FF 6.23



**Fittings for  
base units**  
► FF 6.8




**Fittings for  
corner units**  
► FF 6.32



**Foldaway fittings**  
► FF 6.49



**Pull-out tables**  
► FF 6.52



**Railing systems**  
► FF 6.60



**Ironfix Ironing board**  
► FF 6.71





## Masterpieces for kitchen enthusiasts.

The kitchen is the heart of the home for your customers – give them something extra special: Intelligent functionality with a sophisticated design. Loadable full extension drawers, modern electrical appliances, versatile kitchen gadgets or smart organisation of the cabinet interior equipment – the fitting solutions on the following pages leave nothing to be desired, however unusual the customer's requirements may be!

6

Kitchen Cabinet Fittings




**Midway systems/  
insert mats**  
► FF 6.75



**Step ladder**  
► FF 6.77



**Waste/recycling bins**  
► FF 6.80



**Sinks and taps**  
► FF 6.98




**Ventilation trims and  
grills**  
► FF 6.100



**Mini bar**  
► FF 6.122



**Protection rails**  
► FF 6.124



**Kitchen cabinet  
construction**  
► FF 6.125

## Shelves and wire baskets

For larder, corner, base and wall units

More than just an eye-catcher – our wire baskets and shelves provide organisation and clarity in the kitchen. With a versatile product range, practical functions, and quality.





A specifically developed special coating on the shelves keeps the items balanced at all times. The non-slip effect therefore makes your kitchen safer ... and quieter.

### Classic Shelf

Timeless beauty



Ideal for anyone who values interior equipment that is both elegant and functional.



Stylish at first sight:  
The Classic shelf series is elegant.  
**Round designs**, soft contours and a seamless transition from the railing into the wooden shelf dominate the overall appearance.




### Style Shelf

Clear contours



Extremely popular in kitchens with no-nonsense, clear architecture.



Particularly the chrome plated **flat railings** characterise the modern look of the Style series. The interaction of railing and shelf frame provides a uniform, harmonious appearance.





### Wire basket

Open and robust




Extremely suitable for cabinets in which clarity and quick access are required.






"Simply practical" – is the common thread of the benefits of the attractive wire baskets. The consistently high workmanship quality is already evident on surface.



## Cabinet fittings and accessories overview



					
	Classic	Style	Wire basket	Plastic	Glass railing

### ① Larder unit

Larder unit	► FF 6.26	► FF 6.26	► FF 6.26, 6.31	–	–
Larder unit, swivelling	► FF 6.25	► FF 6.25	► FF 6.25	–	–
Larder unit, shelf with glass railing	–	–	–	–	► FF 6.30
Larder unit, behind hinged doors	► FF 6.23	► FF 6.23	► FF 6.23, 6.24	–	–

### ② Base unit

Base unit internal pull-out	► FF 6.8, 6.10	–	► FF 6.8, 6.10, 6.11, 6.12, 6.13	–	–
High fronted drawer with railing for base unit	► FF 6.9	–	► FF 6.9	–	–
Pull-out, towel rail and baking tray pull-outs	► FF 6.16, 6.17	► FF 6.16, 6.17	–	–	–
Base unit pull-out, lateral mounting	► FF 6.18	► FF 6.18	► FF 6.18, 6.22	–	–
Base unit pull-out, base mounting	► FF 6.21	► FF 6.21	► FF 6.21	–	–
Cleaning materials and under sink pull-outs	–	–	► FF 6.14, 6.15	–	–
Wire shelf pull-out	–	–	► FF 6.17	–	–

### ③ Corner unit

Corner unit half circle carousel fitting	► FF 6.32	► FF 6.32	–	► FF 6.36	–
Corner unit pivoting pull-out fitting	► FF 6.33	► FF 6.33	► FF 6.33, 6.35	–	–
Half circle carousel fitting	► FF 6.46	► FF 6.46	► FF 6.46, 6.47	–	–
Three quarter circle carousel fitting with cabinet	–	–	–	► FF 6.39	–
Three quarter circle carousel fitting	► FF 6.37, 6.38, 6.41	► FF 6.37, 6.38, 6.41	► FF 6.38, 6.43, 6.44	► FF 6.38, 6.40	–
Full circle carousel fitting	► FF 6.43	► FF 6.43	► FF 6.43, 6.45	–	–

### ④ Wall unit

Internal pull-out for wall unit	► FF 6.48	► FF 6.48	► FF 6.48	–	–
Drainer grill and tray	–	–	► FF 6.54	–	–



Internal pull-out, for base unit, for mounting behind front panels

→ Roller bearing guided



- Version: With handle recess
- Type of pull-out: Blum Tandem full extension with integrated Blumotion soft closing mechanism
- Load bearing capacity: 30 kg
- Installation depth: 505 mm
- Side panel thickness: 16 or 19 mm (integrated side panel compensation)
- Installation: For screw fixing to side panel
- Supplied with: Installation instructions

With pull-out wire shelf





- Material: Steel
- Finish/colour: Basket: Chrome plated, runners: Galvanized



For cabinet width mm	Basket size (W x D x H) mm	Wire basket
400	345 x 500 x 127	540.25.283
450	395 x 500 x 127	540.25.284
500	445 x 500 x 127	540.25.285
600	545 x 500 x 127	540.25.287

Packing: 1 piece

With shelf with non-slip effect



- Material: basket and runners: Steel, base: Chipboard
- Finish/colour: Basket: Chrome plated, runners: Galvanized, base: White



For cabinet width mm	Basket size (W x D x H) mm	Classic
400	352 x 488 x 125	540.25.293
450	402 x 488 x 125	540.25.294
500	452 x 488 x 125	540.25.295
600	552 x 488 x 125	540.25.297

Packing: 1 piece

High fronted drawer with railing for base unit ▶ FF 6.9





High fronted drawer with railing, for base unit, for mounting behind front panels

→ Roller bearing guided



- Type of pull-out: Blum Tandem full extension with integrated Blumotion soft closing mechanism
- Adjustment facility: Panel 3-dimensionally adjustable
- Load bearing capacity: 30 kg
- Installation depth: 505 mm
- Side panel thickness: 16 or 19 mm (integrated side panel compensation)
- Installation: For screw fixing to side panels and front panel
- Supplied with: Installation instructions



Adjustment facility



- ① Height adjustment
- ② Lateral adjustment and fixing screw
- ③ Tilting angle adjustment

Mounting bracket is fitted to panel

With pull-out wire shelf




- Material: Steel
- Finish/colour: Basket: Chrome plated, runners: Galvanized



For cabinet width mm	Basket size (W x D x H) mm	Wire basket
400	345 x 503 x 140	540.24.283
450	395 x 503 x 140	540.24.284
500	445 x 503 x 140	540.24.285
600	545 x 503 x 140	540.24.287

Packing: 1 piece

With shelf with non-slip effect



- Material: Basket and runners: Steel, base: Chipboard
- Finish/colour: Basket: Chrome plated, runners: Galvanized, base: White



For cabinet width mm	Basket size (W x D x H) mm	Classic
400	353 x 491 x 165	540.24.293
450	403 x 491 x 165	540.24.294
500	453 x 491 x 165	540.24.295
600	553 x 491 x 165	540.24.297


Packing: 1 piece

### Base unit internal pull-out for installation behind hinged doors

#### → Roller bearing guided

- Version: With handle recess
- Type of pull-out: Blum Tandem full extension with integrated Blumotion soft closing mechanism
- Load bearing capacity: 30 kg
- Installation depth: 505 mm
- Side panel thickness: 16 or 19 mm (integrated side panel compensation)
- Supplied with: Installation instructions

#### With pull-out wire shelf



- Material: Steel
- Finish/colour: Basket: Chrome plated, runners: Galvanized



For cabinet width mm	Basket size (W x D x H) mm	Wire basket
450	370 x 500 x 127	540.27.284
500	420 x 500 x 127	540.27.285
600	520 x 500 x 127	540.27.287

Packing: 1 piece



#### Order reference

Please order spacer bar separately.

6

Kitchen Cabinet Fittings

#### With shelf with non-slip effect



- Material: Basket and runners: Steel, base: Chipboard
- Finish/colour: Basket: Chrome plated, runners: Galvanized, base: White




For cabinet width mm	Basket size (W x D x H) mm	Classic
450	377 x 488 x 125	540.27.294
500	427 x 488 x 125	540.27.295
600	527 x 488 x 125	540.27.297

Packing: 1 piece

#### Order reference

Please order spacer bar separately.

#### Spacer bar



White, RAL 9010



Chrome plated



- Area of application: To compensate for door offset
- Material: Plastic
- Dim. (W x D x H): 25 x 485 x 50 mm
- Installation: For screw fixing to 16 or 19 mm side panels

Finish/colour	Cat. No.
White, RAL 9010	540.24.927
Chrome plated	540.24.922


Packing: 1 piece

Base unit internal pull-out for installation behind hinged doors

→ Roller or ball bearing guided



- Version: With runners and fastening clips
- Type of pull-out: Single extension roller guided or full extension ball bearing guided
- Material: Basket and runners: Steel, clips: Plastic
- Load bearing capacity: 20 kg
- Installation depth:  $\geq 510$  mm
- Side panel thickness: 16 or 19 mm
- Height: Total height including runner corresponds to basket height + 15 mm
- Installation: For screw fixing to side panel



Basket height 100 mm or 140 mm



Runner with full extension

- Finish/colour: Basket and clips: White, single extension: Plastic coated white, RAL 9010, full extension: Galvanized


	For internal cabinet width mm	Basket size (W x D x H) mm	Single extension	Full extension, with soft and self closing mechanisms
<b>Basket height 100 mm</b>				
HX	237–273	235 x 500 x 100	547.05.725	547.05.782
	343–378	330 x 500 x 100	547.05.734	547.05.783
	403–438	390 x 500 x 100	547.05.743	547.05.784
	434–468	430 x 500 x 100	547.05.752	547.05.785
	498–528	485 x 500 x 100	547.05.761	547.05.786
	539–558	530 x 500 x 100	547.05.770	547.05.787
<b>Basket height 140 mm</b>				
HX	229–261	220 x 480 x 140	547.06.722	547.06.782
	329–361	320 x 480 x 140	547.06.731	547.06.783
	379–411	370 x 480 x 140	547.06.740	547.06.784
	429–461	420 x 480 x 140	547.06.759	547.06.785
	479–511	470 x 480 x 140	547.06.768	547.06.786
	529–561	520 x 480 x 140	547.06.777	547.06.787

Packing: 1 piece

Spacer bracket	► FF 6.12
Door deflector	► FF 6.12



### Spacer bracket




- Area of application: Compensating for door offset when installed behind hinged doors
- Material: Steel
- Finish/colour: Plastic coated white, RAL 9010
- Mounting: Can be used on left side, right side or both sides
- Installation: For screw fixing to runner

Height mm	Cat. No.
15	547.08.717
26	547.08.726

Packing: 4 pieces

### Door deflector



- Material: Plastic
- Mounting: Suitable for left hand or right hand use
- Installation: For clip fixing

Colour	Cat. No.
White	547.08.708

Packing: 1 or 10 pieces

Base unit internal pull-out


► FF 6.11

6

Kitchen Cabinet Fittings

### → Ball bearing guided

Basket height 100 mm



- Version: Stackable
- Type of pull-out: Single extension
- Material: Steel
- Finish/colour: Plastic coated white, RAL 9010
- Internal installation height: 130 mm
- Internal installation depth: 492 mm
- Side panel thickness: 16 or 19 mm (with fastening and compensation clips)
- Installation: For screw fixing to side panel


	For cabinet width mm	Basket size (W x D x H) mm	For internal cabinet width mm	Cat. No.
	500	420 x 490 x 100	462 – 468	540.58.838
	600	520 x 490 x 100	562 – 568	540.58.856

Packing: 1 piece



### → Guide rail

#### Basket height 120 mm



#### Installation with guide rails



- Version: Stackable, with gliding edge
- Material: Steel
- Finish/colour: Plastic coated white, RAL 9010

Basket size (W x D x H) mm	Cat. No.
380 x 430 x 120	540.46.025
430 x 430 x 120	540.46.052
530 x 430 x 120	540.46.007
380 x 450 x 120	540.46.089
450 x 450 x 120	540.46.061
495 x 500 x 120	540.46.098


Packing: 1 piece

#### Order reference

Basket dimensions including gliding edge

Guide rail	► FF 8.76
------------	-----------

#### Basket height 185 mm, wire shelf height 8 mm



- Version: With gliding edge (on 4 sides)
- Material: Steel
- Finish/colour: White plastic coated

	Dim. (W x D x H) mm	Cat. No.
Wire shelf	427 x 527 x 8	544.94.503
Wire basket	327 x 527 x 185	544.94.423
	427 x 527 x 185	544.94.521
	527 x 527 x 185	544.94.629

Packing: 1 piece

#### Order reference

Please order guide rails separately.

#### Guide rail



- Material: Steel
- Finish/colour: White plastic coated
- Installation: For lateral screw fixing or screw fixing beneath panels


Length mm	Cat. No.
500	544.94.718

Packing: 1 or 20 pairs

Cleaning materials pull-out  
Lockable



- Material: Steel
- Finish: Chrome plated
- Mounting: For left and right hand use
- Installation: For screw fixing to side panel


	Dim. (W x D x H) mm	Cat. No.
	202 x 432 x 440	545.48.248

Packing: 1 piece



6

Bottle carrier





- Material: Steel
- Finish: Chrome plated
- Version: With feet
- Dimensions (D x H): 195 x 302 mm


Quantity	Width B mm	Cat. No.
6 bottles	298	545.45.226
8 bottles	410	545.45.228

Packing: 1 piece

Under-sink pull-out



- Material: Steel
- Finish: Chrome plated
- Version: Baskets solidly welded
- Extension length: 335 mm
- Mounting: For left and right hand use
- Installation: For screw fixing to side panel

	Internal installation width mm	Cat. No.
	140	545.48.238
	240	545.48.239

Packing: 1 piece

### Cleaning materials pull-out, for base installation



- Material: Steel, tray: Plastic
- Finish: Chrome plated, tray: Translucent
- Area of application: Under-sink cabinets next to waste bins
- Version: With soft and self closing mechanism
- Installation: Easy base installation


### → With 2 hanging baskets and revolving basket



- Version: With removable bottle holder and folding tray
- Load bearing capacity: 15 kg

#### Supplied with

- 1 System support with runner
- 1 Hanging basket with carrying handle
- 1 Hanging basket without carrying handle
- 1 Revolving basket
- 8 Separators

	Dim. (W x D x H) mm	Cat. No.
	276 x 468 x 510	545.48.262

Packing: 1 piece


### → With 2 hanging baskets



- Version: With removable bottle holder
- Load bearing capacity: 12 kg

#### Supplied with

- 1 System support with runner
- 1 Hanging basket with carrying handle
- 1 Hanging basket without carrying handle
- 8 Separators

	Dim. (W x D x H) mm	Cat. No.
	276 x 468 x 395	545.48.261

Packing: 1 piece


### → With 1 hanging basket



- Version: With removable bottle holder
- Load bearing capacity: 6 kg

#### Supplied with

- 1 System support with runner
- 1 Hanging basket with carrying handle
- 4 Separators

	Dim. (W x D x H) mm	Cat. No.
	160 x 468 x 395	545.48.260

Packing: 1 piece


### Base unit pull-out



- 3D front adjustment without tools
- Fitting is clipped onto rail or front



- Material: Steel
- Finish/colour: Chrome plated (Classic, Style) or white aluminium, RAL 9006 (Classic)
- Load bearing capacity: 12 kg
- For cabinet width: 150 mm
- Internal cabinet width:  $\geq 112$  mm
- Internal cabinet depth:  $\geq 481$  mm, 90° cabinet
- Dim. A: 38 mm
- Mounting: Right mounted
- Installation: For screw fixing to side panel



Dim. A = distance inner front edge to first drill hole  
Right mounted



6

### → Full extension, with self closing and soft closing mechanisms



Separator



For Classic



For Style

- Internal cabinet height:  $\geq 542$  mm with 2 tiers


Version	Chrome plated	White aluminium
<b>2 tiers with 2 separators</b>		
Classic	549.24.260	549.24.960
Style	549.24.360	–

Packing: 1 piece

Finish	Suitable for	Cat. No.
Chrome plated	Classic	545.61.250
	Style	545.61.350

Packing: 2 pieces

### → Full extension, with self closing mechanism




- Internal cabinet height:  $\geq 540$  mm
- Dim. (W x D): 104 x 466 mm

Angle	Suitable for	Dim. A mm	Chrome plated
<b>2 tiers</b>			
90°	Right mounted	36	545.57.251

Packing: 1 piece



### → Towel rail pull-out




- Version: With 2 towel rails
- Internal cabinet height: ≥592 mm
- Type of pull-out: Full extension, with self closing and soft closing mechanisms


Version	Chrome plated	White aluminium, RAL 9006
Classic	549.24.233	549.24.933
Style	549.24.333	—

Packing: 1 piece

### Wire shelf



- Material: Wire shelf: Steel, shelf supports: Plastic
- Finish: Wire shelf: Chrome plated, shelf supports: Transparent
- Side panel thickness: 16 or 19 mm, compensation by rotating the shelf support
- Installation: For screw fixing to side panel
- Supplied with: Fixing material



Shelf support detail view

For cabinet width mm	Dim. (W x D x H) mm	Cat. No.
600	557 x 490 x 30	545.71.223
900	857 x 490 x 35	545.71.225

Packing: 2 pieces

### Base unit pull-out


Full extension with self and soft closing mechanisms



Illustration shows left cabinet

- Material: Steel
- Finish/colour: Plastic coated, white aluminium, RAL 9006

#### Mounting situation:



Base unit pull-out, straight version (90°)

Base unit pull-out, angled version (45°/55°)

#### Order reference




Please order front brackets, hanging baskets and hook-in shelves separately.


### → Pull-out frame



Illustration shows fitting for right cabinet



Left cabinet



Left cabinet

- Load bearing capacity: 24 kg
- Dim.: 40 x 470 mm (W x D)
- Version: With catch for front brackets
- Internal cabinet width: Basket width +33 mm
- Internal cabinet depth: 485 mm with 90°, 515 mm with 45°, 505 mm with 55°
- Installation: For screw fixing to cabinet side panel


For internal cabinet height mm	Left cabinet	Right cabinet
497	545.59.268	545.59.278
599	545.59.266	545.59.276
663	545.59.267	545.59.277

Packing: 1 piece

Front brackets	► FF 6.19
Hanging baskets	► FF 6.19

### → Front brackets

For pull-out frame



45°/55°



90°

- Version: Pre-installed for catch
- Installation: For screw fixing to front

Angle	Cat. No.
45°	545.59.296
55°	545.59.297
90°	545.59.298

Packing: 1 piece


#### Order reference

Please order 2 front brackets for each pull-out frame.

## Hook-in shelves and hanging baskets

- Area of application: For hooking into high fronted drawer with railing for base unit, pull-out and larder unit internal pull-out (without tools)


### → Hanging basket



- Material: Steel
- Finish/colour: Plastic coated, white aluminium, RAL 9006
- Dim. (D x H): 477 x 75 mm

	Width mm	Cat. No.
	110	545.52.201
	160	545.52.202
	190	545.52.203
	220	545.52.204
	310	545.52.205

Packing: 1 piece



- Material: Steel
- Dim. (D x H): 470 x 75 mm

	Width mm	Chrome plated	White aluminium, RAL 9006
	110	545.60.208	545.60.908
	160	545.60.217	545.60.917
	210	545.60.244	545.60.944
	320	545.60.253	545.60.953

Packing: 1 piece





Illustration shows hanging basket for right cabinet

- Material: Steel
- Dim. (W x D x H): 228 x 467 x 74 mm

	Angle		Chrome plated	White aluminium, RAL 9006
	45°	Left cabinet	545.60.234	545.60.931
		Right cabinet	545.60.224	545.60.921
	52°	Left cabinet	545.60.235	545.60.932
		Right cabinet	545.60.226	545.60.922

Packing: 1 piece

→ Hook-in shelf with non-slip effect



- Material: Railing: Steel, base: Chipboard
- Finish/colour: Railing: Chrome plated, base: White
- Dim. (D x H): 470 x 88 mm (Classic)/75 mm (Style)



Width mm	Classic	Style
110	545.60.275	545.60.375
160	545.60.276	545.60.376
185	–	545.60.378
210	–	545.60.379
228	545.60.277	545.60.377
260	–	545.60.380

Packing: 1 piece




Illustration shows hook-in shelf for right cabinet

- Material: Railing: Steel, base: Chipboard
- Finish/colour: Railing: Chrome plated, base: White
- Dim. (W x D x H): 228 x 470 x 88 (Classic)/75 (Style)



Angle		Classic	Style
45°	Left cabinet	545.60.296	545.60.396
	Right cabinet	545.60.286	545.60.386
52°	Left cabinet	545.60.297	545.60.397
	Right cabinet	545.60.287	545.60.387

Packing: 1 piece

6

