


15 litres




- For cabinet width: min. 400 mm
- Installation: For screw fixing to side panel
- Mounting: For left and right hand use

Capacity l	Material	Cat. No.
Waste bin		
15	Steel, plastic coated, white Bin: Plastic, light grey Lid: Plastic, white	502.12.729
	Stainless steel Bin: Plastic, light grey Lid: Plastic, white	502.12.023
Spare parts		
15	Bin: Plastic, light grey Ø 272 x 322 mm	502.12.998
–	Lid: Plastic, white	502.12.977
–	Mounting accessories: White	502.12.907

Packing: 1 piece

15 litres / 20 litres




- For cabinet width: min. 400 mm
- Installation width: 284 mm
- Installation: For screw fixing to side panel
- Area of application: Galvanized bin (fire-retardant)
- Mounting: For left and right hand use

Capacity l	Material	Cat. No.
Waste bin		
15	Stainless steel Bin: Steel, galvanized Lid: Plastic, grey-brown	502.23.044
	Stainless steel Bin: Plastic, black Lid: Plastic, grey-brown	502.23.017
20	Stainless steel Bin: Steel, galvanized Lid: Plastic, grey-brown	502.23.062
	Steel, plastic coated, white Bin: Steel, galvanized Lid: Plastic, grey-brown	502.23.740
Spare parts		
15	Bin: Steel, galvanized Ø 272 x 312 mm	502.23.955
20	Bin: Plastic, black Ø 272 x 415 mm	502.23.928
–	Lid: Aluminium, polished	502.23.970

Packing: 1 piece

18 litres




- Installation: For screw fixing to side panel
- For cabinet width: min. 450 mm
- For internal cabinet depth: min. 203 mm
- Mounting: For left and right hand use

Capacity l	Material	Cat. No.
Waste bin		
18	Steel, plastic coated, white Bin: Plastic, grey Bin holder and lid: Plastic, white	502.62.710
Spare parts		
18	Bin: Plastic, grey	502.61.937

Packing: 1 piece




19 litres



- For cabinet width: min. 450 mm
- Installation: For screw fixing to side panel
- Mounting: For left and right hand use

Capacity	Material	Packing piece	Cat. No.
Waste bin			
19	Plastic, pure white	1	502.00.407
	Plastic, aluminium grey	1	502.00.507
Spare parts			
5	Bin: Plastic, green 160 x 135 x 325 mm	1 or 50	502.00.491
19	Bin: Plastic, pure white 360 x 193 x 360 mm	1	502.00.498
	Bins: Plastic, aluminium grey 360 x 193 x 360 mm	1	502.50.916

20 litres



- For cabinet width: min. 300 or 400 mm
- Type of pull-out: Single extension (manual extension)
- Installation: For screw fixing to base panel

Capacity l	Material	Cat. No.
For cabinet width ≥300 mm		
20	Steel, plastic coated, cream white Bin and lid: Plastic, cream white	502.43.706
	Steel, plastic coated, silver coloured Bin and lid: Plastic, graphite grey	502.43.500
For cabinet width ≥400 mm, with follower		
20	Steel, plastic coated, silver coloured Bin and lid: Plastic, graphite grey	502.43.517
Spare parts		
20	Bin: Plastic, cream white 308 x 222 x 324 mm	502.43.902
	Bin: Plastic, graphite grey 308 x 222 x 324 mm	502.49.920
–	Lid: Plastic, cream white	502.43.977

Packing: 1 piece

Order reference

The follower for automatic extension when the door is opened can be ordered separately for the waste bin for cabinet width ≥300 mm. This increases the min. cabinet width to 400 mm.

Follower




- For cabinet width: min. 400 mm
- Area of application: For automatic extension when door is opened
- Mounting: For left and right hand use
- Supplied with: Fixing material

Material	Cat. No.
Plastic, cream white	502.43.797

Packing: 1 set

Double-bin waste sorter
1 x 10 and 1 x 19 litres



- For cabinet width: min. 500 mm
- Installation: For screw fixing to side panel
- Mounting: For left and right hand use

Capacity l	Material	Packing pieces	Cat. No.
Double-bin waste sorter			
1 x 10 and 1 x 19	Bin holder: Steel, plastic coated, grey Lid and bins: Plastic, grey	1	502.50.032
Spare parts			
5	Bin: Plastic, green 160 x 135 x 325 mm	1 or 50	502.00.491
10	Bin: Plastic, grey 260 x 205 x 290 mm	1	502.50.944
19	Bin: Plastic, aluminium grey 360 x 193 x 360 mm	1	502.50.916

Retrofitting set for 19 litre bin




- Area of application: For dual waste separation

Capacity l	Material	Cat. No.
19	Bio-bin and divider: Plastic, green 360 x 193 x 360 mm	502.00.489

Packing: 1 set

2 x 15 litres



- For cabinet width: min. 300 mm
- Type of pull-out: Full extension (manual extension)
- Installation: For screw fixing to base panel


Capacity l	Material	Cat. No.
Double-bin waste sorter		
2 x 15	Bin holder: Steel, plastic coated, silver coloured Bins and lid: Plastic, graphite grey	502.70.252
Spare parts		
15	Bin: Plastic, graphite grey 220 x 220 x 345 mm	502.51.915
–	Lid for 15 l bin: Plastic, graphite grey	502.72.975

Packing: 1 piece



Waste/Recycling Bins For installation behind hinged doors

1 x 12 and 1 x 18 litres



- For cabinet width: min. 500 or 600 mm
- Type of pull-out: Full extension (manual extension)
- Installation: For screw fixing to base panel


Capacity l	Material	Cat. No.
For cabinet width min. 500 mm		
1 x 12 and 1 x 18	Bin holder: Steel, plastic coated, silver coloured Bins, lid and handle panel: Plastic, graphite grey	502.70.211
For cabinet width 600 mm, with follower		
1 x 12 and 1 x 18	Bin holder and lid: Steel, silver coloured Bins, handle panel and follower: Plastic, graphite grey	502.70.212
Spare parts		
12	Bin: Plastic, graphite grey 154 x 316 x 287 mm	502.70.992
18	Bin: Plastic, graphite grey 229 x 316 x 295 mm	502.70.993

Packing: 1 piece



For cabinet width 600 mm

1 x 14 and 1 x 18 litres




- For cabinet width: min. 500 mm
- Type of pull-out: Automatic full extension with follower (door opening min. 110°), full extension without follower (manual extension)
- Installation: For screw fixing to base panel

Capacity l	Material	Cat. No.
Double-bin waste sorter		
1 x 14 and 1 x 18	Handle panel and lid: Plastic, black Extension element: Steel Bins: Plastic, grey	502.76.303
Double-bin waste sorter, with follower		
1 x 14 and 1 x 18	Handle panel, follower and lid: Plastic, black Extension element: Steel Bins: Plastic, grey	502.76.304
Spare parts		
18	Bin: Plastic, grey 310 x 220 x 290 mm	502.75.570

Packing: 1 piece

2 x 18 litres



- For cabinet width: min. 400 mm
- Type of pull-out: Single extension (manual extension)
- Installation: For screw fixing to base panel

Capacity l	Material	Cat. No.
Double-bin waste sorter		
2 x 18	Bin holder: Steel, plastic coated, silver coloured Bins: Plastic, grey and black Lid: Plastic, black Handle panel: Plastic, grey	502.70.220
Spare parts		
18	Bin: Plastic, signal grey, RAL 7004 223 x 314 x 286 mm	502.70.970


Packing: 1 piece



6



1 x 19 and 1 x 30 litres




- For cabinet width: min. 500 mm
- Type of pull-out: Full extension (manual extension)
- Installation: For screw fixing to base panel

Capacity l	Material	Cat. No.
Double-bin waste sorter		
1 x 19 and 1 x 30	Bin holder and extension runners: Steel Bins and lid: Plastic, signal grey	502.70.522
Replacement parts		
19	Bin: Plastic, signal grey 397 x 171 x 413 mm	502.70.990
30	Bin: Plastic, signal grey 397 x 258 x 413 mm	502.73.991

Packing: 1 piece

2 x 14 litres




- For cabinet width: min. 400 mm
- Installation depth: 407 mm
- Type of pull-out: Full extension
- Installation: For screw fixing to base panel

Capacity l	Material	Cat. No.
2 x 14	Plastic, black Extension element: Steel Bins: Plastic, grey	502.76.300

Packing: 1 piece

1 x 4.5 litres




- Area of application: As additional component suitable for cleaning material

Capacity l	Material	Cat. No.
1 x 4.5	Extension element: Steel, grey Bin: Plastic, black	502.76.301

Packing: 1 piece

2 x 15 litres



- For cabinet width: min. 300 mm
- Type of pull-out: Full extension (manual extension)
- Installation: For screw fixing to base panel

Capacity l	Material	Cat. No.
2 x 15	Extension element: Steel, grey Bins: Plastic, grey Handle panel and lid: Plastic, black	502.76.508

Packing: 1 piece



6

Waste/Recycling Bins




Three-bin waste sorter

1 x 15 and 2 x 7 litres / 3 x 10 litres



7	10
7	10
15	10



- For cabinet width: min. 300 mm
- Type of pull-out: Full extension (manual extension)
- Installation: For screw fixing to base panel

Capacity l	Material	Cat. No.
Three-bin waste sorter		
1 x 15 and 2 x 7	Bin holder: Steel, plastic coated, silver coloured Bins and lid: Plastic, graphite grey	502.70.253
3 x 10	Bin holder: Steel, plastic coated, silver coloured Bins and lid: Plastic, graphite grey	502.70.255
Spare parts		
7	Bin: Plastic, graphite grey 227 x 115 x 345 mm	502.70.095
10	Bin: Plastic, graphite grey 226 x 154 x 343 mm	502.70.991
15	Bin: Plastic, graphite grey 220 x 220 x 345 mm	502.51.915
–	Lid for 15 l bin: Plastic, graphite grey	502.72.975

Packing: 1 piece




6

Waste/Recycling Bins

3 x 10 litres



10
10
10



- For cabinet width: min. 300 mm
- Type of pull-out: Full extension (manual extension)
- Installation: For screw fixing to base panel


Capacity l	Material	Cat. No.
Three-bin waste sorter		
3 x 10	Bins: Stainless steel Bin holder and lid: Plastic, anthracite	502.67.033
Spare parts		
10	Bin: Stainless steel 225 x 150 x 350 mm	502.67.902

Packing: 1 piece

3 x 10 litres



10
10
10



- For cabinet width: min. 300 mm
- Type of pull-out: Full extension (manual extension)
- Installation: For screw fixing to base panel

Capacity l	Material	Cat. No.
3 x 10	Bin holder: Steel Bins and lid: Plastic, grey	502.67.733

Packing: 1 piece




Waste/Recycling Bins For installation behind hinged doors

1 x 16 and 2 x 8 litres



8	8
16	



- For cabinet width: min. 400 mm
- Type of pull-out: Full extension (manual extension)
- Installation: For screw fixing to base panel


Capacity l	Material	Cat. No.
Three-bin waste sorter		
1 x 16 and 2 x 8	Bins: Stainless steel Bin holder and lid: Plastic, anthracite	502.67.050
Spare parts		
8	Bin: Stainless steel 225 x 150 x 290 mm	502.67.901
16	Bin: Stainless steel 225 x 305 x 290 mm	502.67.903

Packing: 1 piece

1 x 16 and 2 x 8 litres



8	8
16	




- For cabinet width: min. 400 mm
- Type of pull-out: Full extension (manual extension)
- Installation: For screw fixing to base panel


Capacity l	Material	Cat. No.
1 x 16 and 2 x 8	Bin holder: Steel Bins and lid: Plastic, grey	502.67.750

Packing: 1 piece

1 x 18 and 2 x 8 litres



18	8
8	



- For cabinet width: min. 400 or 450 mm
- Type of pull-out: Automatic full extension with follower (door opening min. 115°), full extension without follower (manual extension)
- Installation: For screw fixing to base panel

Capacity l	Material	Cat. No.
For cabinet width min. 400 mm		
1 x 18 and 2 x 8	Extension element: Steel, grey Bins: Plastic, grey Handle panel and lid: Plastic, black	502.76.305
For cabinet width min. 450 mm, with follower		
1 x 18 and 2 x 8	Extension element: Steel, grey Bins: Plastic, grey Handle panel, follower and lid: Plastic, black	502.76.306
Spare parts		
8	Bin: Plastic, grey 220 x 160 x 290 mm	502.75.573
18	Bin: Plastic, grey 310 x 220 x 290 mm	502.75.570


Packing: 1 piece



1 x 18 and 2 x 8.5 litres



18
8,5 8,5



- For cabinet width: min. 400 mm
- Type of pull-out: Full extension (manual extension)
- Installation: For screw fixing to base panel

Capacity l	Material	Cat. No.
Three-bin waste sorter		
1 x 18 and 2 x 8.5	Bin holder: Steel, plastic coated, silver coloured Bio-lid, handle panel, bins: Plastic, signal grey, RAL 7004	502.70.833
Spare parts		
8.5	Bin: Plastic, signal grey, RAL 7004 220 x 150 x 280 mm	502.70.900
18	Bin: Plastic, signal grey, RAL 7004 223 x 314 x 286 mm	502.70.970
–	Bio-lid for 8.5 l bin: Plastic, signal grey, RAL 7004	502.70.937

Packing: 1 piece



6

1 x 18 and 2 x 8.5 litres





18
8,5 8,5

- For cabinet width: min. 900 mm
- Type of pull-out: Full extension (manual extension), rotates through 360°
- Installation: For screw fixing to base panel
- Area of application: For installation in diagonal built-in corner units
- Version: With bio-lid, utensils trays and multi-functional bin, 12 litres

Capacity l	Material	Cat. No.
Three-bin waste sorter		
1 x 18, 2 x 8.5 and multi-functional bin 1 x 12	Bin holder: Steel, plastic coated, silver coloured Turntable: Steel, plastic coated, white Lid, bins, handle panel, bio-lid and utensils trays: Plastic, signal grey, RAL 7004	502.78.284
Spare parts		
8.5	Bin: Plastic, signal grey, RAL 7004 220 x 150 x 280 mm	502.70.900
18	Bin: Plastic, signal grey, RAL 7004 223 x 314 x 286 mm	502.70.970
–	Bio-lid for 8.5 l bin: Plastic, signal grey, RAL 7004	502.70.937


Packing: 1 piece



Multi-functional bin



12



- Version: With perforated lid
- Supplied with: Fixing material

Capacity l	Material	Cat. No.
12	Bin holder: Steel, white Bin: Plastic, signal grey RAL 7004	502.78.920

Packing: 1 piece




Single waste bin

20 litres



20



- For cabinet width: min. 300 mm
- Installation height: 410 mm
- Installation: For screw fixing to pull-out base
- Version: Without pull-out (order separately)

Capacity l	Material	Cat. No.
Waste bin		
20	Steel, plastic coated, cream white Bin and lid: Plastic, cream white, RAL 9001	502.44.703
	Steel, silver, plastic coated Bin and lid: Plastic, graphite grey, RAL 7024	502.44.503
Spare parts		
20	Bin: Plastic, cream white 308 x 222 x 324 mm	502.43.902
	Bin: Plastic, graphite grey 308 x 222 x 324 mm	502.49.920
–	Lid: Plastic, cream white	502.43.977

Packing: 1 piece

Single expander door opener


► FF 6.90



30 litres



30



- For cabinet width: 300 mm
- For internal cabinet depth: min. 450 mm
- Type of pull-out: Full extension with soft closing mechanism
- Installation: For screw fixing to side panel
- Side panel thickness: 16 – 19 mm, self-adjusting

Capacity l	Material	Cat. No.
Waste bin		
30	Bin holder and extension runners: Steel, silver-grey Bin and lid: Plastic, signal grey	502.73.940
Spare parts		
30	Bin: Plastic, signal grey 397 x 258 x 413 mm	502.73.991

Packing: 1 piece


Electric door opener

► FF 6.92

30 litres



30



- For cabinet width: min. 500 mm
- Installation: For screw fixing to base panel
- Version: With 2 tension springs
- Dim. (W x D x H): Bin: 400 x 300 x 339 mm


Capacity l	Material	Cat. No.
Waste bin		
30	Tilting fitting: Steel, white aluminium, RAL 9006, plastic coated Bin: Plastic, grey	502.05.706
Spare parts		
30	Bin: Plastic, grey 400 x 300 x 339 mm	502.05.582
–	Tension spring for waste bin	502.05.900

Packing: 1 piece



Double-bin waste sorter

2 x 15 litres



- For cabinet width: 300 mm
- Version: Without pull-out
- Installation: For screw fixing to extension base

Capacity l	Material	Cat. No.
Double-bin waste sorter		
2 x 15	Steel, plastic coated, silver coloured Bins and lid: Plastic, graphite grey	502.72.761
Spare parts		
15	Bin: Plastic, graphite grey 220 x 220 x 345 mm	502.51.915

Packing: 1 piece

Order reference

Please order pull-out shelf or drawer side runner system separately.

Door opener



- Area of application: For automatic extension of waste bins for pull-outs

	Cat. No.
Single expander	502.15.260
Double expander	502.15.250

Packing: 1 piece

2 x 8 litres and 2 x 17 litres – Moovit



8	8
17	17

- For cabinet width: 600 mm
- Installation depth: 470 mm
- Suitable for: Moovit
- Nominal length: 500 mm
- Version: With frame, lid rails and lid, 3-dimensionally adjustable, bin bags fixed by means of carrying handles
- Material: Plastic, grey
- Installation: For hooking in

Side panel thickness mm	Capacity l	Cat. No.
For Moovit		
16	2 x 8 and 2 x 17	502.91.527
19		502.91.537
Spare parts		
Bin, 310 x 152 x 230 mm	8	502.90.501
Bin, 310 x 305 x 230 mm	17	502.90.502
Brush and dustpan as lid		502.90.152


Packing: 1 piece

Moovit drawer side runner system

► FF 8.6

Order reference


Please order drawer side runner system separately.



KB = cabinet width

Waste/Recycling Bins For installation behind front panels

2 x 19 litres / 1 x 19 and 1 x 30 litres / 2 x 30 litres



- For cabinet width: 450, 500 or 600 mm
- For internal cabinet depth: min. 450 mm
- Type of pull-out: Full extension with soft closing mechanism
- Installation: For screw fixing to side panel
- Material: Extension element: Steel, silver grey, bins: Plastic, signal grey
- Side panel thickness: 16 – 19 mm, self-adjusting


For cabinet width mm	Capacity l	Cat. No.
Double-bin waste sorter		
450	2 x 19	502.73.901
500	1 x 19 and 1 x 30	502.73.904
600	2 x 30	502.73.902
Spare parts		
Bin: Plastic, signal grey 397 x 171 x 413 mm	19	502.70.990
Bin: Plastic, signal grey 397 x 258 x 413 mm	30	502.73.991

Packing: 1 piece

Electric door opener

► FF 6.92

1 x 20 and 1 x 10 litres




- For cabinet width: min. 300 mm
- Type of pull-out: Full extension
- Installation: For screw fixing to base panel

Capacity l	Material	Cat. No.
Double-bin waste sorter		
1 x 20 and 1 x 10	Bins: Stainless steel Bin holder and lid: Plastic, anthracite	502.92.020
Spare parts		
10	Bin: Stainless steel, 225 x 150 x 350 mm	502.67.902
20	Bin: Stainless steel, 225 x 305 x 350 mm	502.67.904

Packing: 1 piece

2 x 18 litres / 2 x 18 and 2 x 8 litres



- For cabinet width: 450 or 600 mm
- Installation: For screw fixing to base panel
- Material: Basic frame, front brackets and runners: Steel, galvanized, side panels, lid and pull-out base: Plastic, grey, bins: Plastic, grey and green

For cabinet width mm	Capacity l	Cat. No.
Motion version with soft and self closing mechanism		
450	2 x 18	502.64.134
600	2 x 18 and 2 x 8	502.64.136
Kickautomatik version/automatic opening with pedal		
450	2 x 18	502.64.154
600	2 x 18 and 2 x 8	502.64.156
Spare parts		
Bin: Plastic, green 165 x 220 x 320 mm	8	502.64.081
Bin: Plastic, grey 165 x 220 x 320 mm		502.64.085
Bin: Plastic, grey 220 x 330 x 320 mm	18	502.64.095


Packing: 1 piece





Three-bin waste sorter

1 x 14 and 2 x 10 litres / 1 x 20 and 2 x 10 litres – Zargen-Cargo Moovit



- For cabinet width: 500 or 600 mm
- Area of application: For hooking into Moovit drawer side runner system 92 mm with railing
- Material: Frame, system lid: Steel, bins: Plastic, signal grey
- Version: With frame, lid and stabilising frame
- Side panel thickness: 16 or 19 mm (with spacer)
- Nominal length: 400 mm
- Height: Bins: 350 mm

For cabinet width mm	Capacity l	Cat. No.
Three-bin waste sorter		
500	1 x 14 and 2 x 10	502.03.562
600	1 x 20 and 2 x 10	502.03.563
Spare parts		
Bins: Plastic, signal grey 226 x 156 x 350 mm	10	502.73.993
Bins: Plastic, signal grey 320 x 156 x 350 mm	14	502.03.991
Bins: Plastic, signal grey 320 x 226 x 350 mm	20	502.03.993

Packing: 1 piece

Order reference

Please order Moovit drawer side runner system, Matrix 50 kg and side rails separately.




Moovit drawer side runner system	► FF 8.6
Side rail	► FF 8.15



6

Waste/Recycling Bins

Electric door opener



- Area of application: Automatic opening of all waste bins installed behind front panels
- Version: Activation via sensor in plinth area, integrated LED orientation light, adjustable ejection force
- Dim.: Cut-out: 187 x 164 mm
- Mains voltage: 230 V, 50/60 Hz
- Installation: For mounting in drilled hole in cabinet base, plug and play installation

	Cat. No.
Electric door opener	502.15.114

Packing: 1 piece

Waste/recycling bin 1 x 30 litres	► FF 6.89
Waste/recycling bins 2 x 19 litres / 1 x 19 and 1 x 30 litres / 2 x 30 litres	► FF 6.91
Waste/recycling bins 3 x 10 litres / 1 x 15 and 2 x 10 litres / 1 x 24 and 3 x 10 litres	► FF 6.93
Waste/recycling bins 3 x 10 litres / 1 x 15 and 2 x 10 litres	► FF 6.94
Waste/recycling bins 1 x 18 and 2 x 8.5 litres / 2 x 18 and 1 x 12 litres	► FF 6.95
Waste/recycling bins 1 x 18, 2 x 8 and 3 x 2.5 litres / 1 x 18, 1 x 12, 2 x 8 and 3 x 2.5 litres	► FF 6.96




Waste/Recycling Bins For installation behind front panels

3 x 10 litres / 1 x 15 and 2 x 10 litres / 1 x 24 and 3 x 10 litres



10	15	10	10
10	10	10	10



- For cabinet width: 450, 500 or 600 mm
- Type of pull-out: Full extension
- Installation: For screw fixing to side panel
- Material: Lid and extension element: Steel, silver coloured, bins, bio-lid and utensils tray: Plastic, signal grey
- Side panel thickness: 16 and 19 mm, self-adjusting

For cabinet width mm	Capacity I	Cat. No.
Three-bin waste sorter		
450	3 x 10 with utensils tray	502.70.041
500	1 x 15 and 2 x 10 with utensils tray	502.70.040
600	1 x 24 and 3 x 10	502.70.042
Spare parts		
Bins: Plastic, signal grey 226 x 156 x 350 mm	10	502.73.993
Bins: Plastic, signal grey 226 x 233 x 350 mm	15	502.73.994
Bins: Plastic, signal grey 350 x 226 x 350 mm	24	502.73.995

Packing: 1 piece


Electric door opener

► FF 6.92

1 x 20 and 2 x 10 litres



10	10
20	



- For cabinet width: min. 400 mm
- Type of pull-out: Full extension
- Installation: For screw fixing to base panel


Capacity I	Material	Cat. No.
Three-bin waste sorter		
1 x 20 and 2 x 10	Bins: Stainless steel Bin holder and lid: Plastic, anthracite	502.92.030
Spare parts		
10	Bin: Stainless steel 225 x 150 x 350 mm	502.67.902
20	Bin: Stainless steel 225 x 305 x 350 mm	502.67.904

Packing: 1 piece

3 x 10 litres



10	10	10
----	----	----




- For cabinet width: min. 300 mm
- Type of pull-out: Full extension
- Installation: For screw fixing to side panel
- Side panel thickness: 19 mm

Capacity I	Material	Cat. No.
Three-bin waste sorter		
3 x 10	Bins: Stainless steel Bin holder and lid: Plastic, anthracite	502.93.030
Spare parts		
10	Bin: Stainless steel 225 x 150 x 350 mm	502.67.902

Packing: 1 piece

2 x 8 and 2 x 17 litres – Moovit



- For cabinet width: 600 mm
- Version: With support plate and lid cover plate
- Nominal length: 500 mm
- Installation height: 380 mm
- Suitable for: Moovit
- Area of application: For inserting
- Material: Plastic, aluminium grey

For cabinet width mm	Side panel thickness mm	Dim. A mm	Dim. B mm	Capacity l	Cat. No.
For Moovit					
600	16	566	498	2 x 8 and	502.91.717
	19	560	492	2 x 17	502.91.817
Spare parts					
Lid cover plate for cabinet width 600 mm, side panel thickness 19 mm					502.90.437
Bin, 310 x 152 x 230 mm				8	502.90.501
Bin, 310 x 305 x 230 mm				17	502.90.502
Bin, 220 x 152 x 230 mm, very low				5.5	502.90.510
Bin, 220 x 305 x 230 mm, very low				12	502.90.512
Brush and dustpan as lid				—	502.90.152

Packing: 1 piece

Moovit drawer side runner system


► FF 8.6



6

Waste/Recycling Bins

3 x 10 litres / 1 x 15 and 2 x 10 litres



- For cabinet width: 450 or 500 mm
- For internal cabinet depth: min. 450 mm
- Type of pull-out: Full extension with soft-closing mechanism
- Installation: For screw fixing to side panel
- Material: Steel, plastic, signal grey
- Side panel thickness: 16 – 19 mm, self-adjusting

For cabinet width mm	Capacity l	Cat. No.
Three-bin waste sorter		
450	3 x 10 with utensils tray	502.73.962
500	1 x 15 and 2 x 10 with utensils tray	502.73.963
Spare parts		
Bins: Plastic, signal grey 226 x 156 x 350 mm	10	502.73.993
Bins: Plastic, signal grey 226 x 233 x 350 mm	15	502.73.994

Packing: 1 piece

Electric door opener

► FF 6.92

1 x 18 and 2 x 8.5 litres / 2 x 18 and 1 x 12 litres





18 8,5 8,5
12 18 18

- For cabinet width: min. 600 or 800 mm
- Area of application: For inserting
- Nominal length: 500 mm


Capacity l	Material	Cat. No.
For cabinet width min. 600 mm		
1 x 18, 2 x 8.5 and 2 x 4.1 l utensils depot	Steel, silver coloured Bins and lids: Plastic, grey	502.03.206
For cabinet width min. 800 mm		
2 x 18, 1 x 12 and 3 x 4.1 l utensils depot	Steel, silver coloured Bins and lids: Plastic, grey	502.03.208
Spare parts		
8.5	Bin: Plastic, grey 220 x 150 x 280 mm	502.70.930
12	Bin: Plastic, grey 154 x 316 x 287 mm	502.70.920
18	Bin: Plastic, grey 229 x 316 x 295 mm	502.03.992

Packing: 1 piece

Single expander door opener	► FF 6.90
Electric door opener	► FF 6.92
Moovit drawer side runner system	► FF 8.6




For cabinet width 600 mm




For cabinet width 800 mm

1 x 18 and 2 x 8 litres



8 8
18



- For cabinet width: min. 400 mm
- Type of pull-out: Full extension
- Installation: For screw fixing to base panel

Capacity l	Material	Cat. No.
Three-bin waste sorter		
1 x 18 and 2 x 8	Extension element: Steel, grey Lid: Plastic, black Bins: Plastic, grey	502.76.307
Spare parts		
8	Bin: Plastic, grey 220 x 160 x 290 mm	502.75.573
18	Bin: Plastic, grey 310 x 220 x 290 mm	502.75.570

Packing: 1 piece



Four-bin waste sorter

2 x 12 litres or 2 x 7.5 litres and 2 x 12 litres or 2 x 7.5 litres and 4 x 12 litres



12	7,5	12	12	7,5	12
12	7,5	12	12	7,5	12

- Area of application: For inserting in full extension drawers
- Material: Frame: Steel, bins and lids: Plastic
- Colour: Frame: Silver grey, bins and lids: Grey
- Version: Bins with removable lid
- Nominal length: 450 mm
- Installation: For screw fixing to base panel



For cabinet width mm	Capacity l	Cat. No.
min. 400	2 x 12	503.21.904
min. 600	2 x 7.5 and 2 x 12	503.21.906
min. 900	2 x 7.5 and 4 x 12	503.21.909


Packing: 1 piece

Moovit drawer side runner system


► FF 8.6



6



For cabinet width min. 400 mm For cabinet width min. 600 mm For cabinet width min. 900 mm



1 x 18, 2 x 8 and 3 x 2.5 litres / 1 x 18, 1 x 12, 2 x 8 and 3 x 2.5 litres – Separato Moovit



3x2,5	3x2,5
18	8
8	12

- For cabinet width: 600 or 900 mm
- Area of application: For inserting into Moovit drawer side runner system 92 mm with railing
- Material: Frame: Steel, grey, bins: Plastic, grey
- Version: With frame, bio-lid, brush and dustpan set and multi-functional bin 12 litres
- Side panel thickness: 16 or 19 mm (with spacer)
- Nominal length: 500 mm
- Height: Bins: 295 mm

For cabinet width mm	Capacity l	Cat. No.
600	1 x 18, 2 x 8 and 3 x 2.5	502.03.593
900	1 x 18, 1 x 12, 2 x 8, 3 x 2.5 and multi-functional bin 1 x 12	502.03.596

Packing: 1 piece

Order reference

Please order Moovit drawer side runner system 92 mm, Matrix 50 kg and side rails separately.

Moovit drawer side runner system


► FF 8.6

Moovit side rail

► FF 8.15

Electric door opener

► FF 6.92




For wall mounting

6 litres / 15 litres / 30 litres – Waste by the Metre



6 / 15 / 30



- Installation: For screw fixing to the wall
- Material: Frame: Steel, lid: Plastic
- Finish: Frame: Plastic coated
- Colour: Frame: White, lid: Grey

Capacity l	Dim. (W x D x H) mm	Cat. No.
6	230 x 160 x 330	502.32.061
15	300 x 210 x 440	502.32.150
30	395 x 250 x 520	502.32.301

Packing: 1 piece

Bin bags



- Material: Plastic film
- Version: Perforated, for tearing off

Capacity l	Quantity	Colour	Cat. No.
6	48 bags/roll	Grey	502.35.062
15			502.35.151
30	25 bags/roll	Grey	502.35.302
120		Blue	008.52.900

Packing: 1 roll




6

For installation in worktop

5 litres / 11 litres / 13 litres



5 / 11 / 13




- Installation: For flush mounting or surface mounting
- Material: Plastic or aluminium, 5 litre bin: With stainless steel ring, 11 and 13 litre bin: With stainless steel ring and soft rubber ring, lid: Stainless steel


Capacity l	Dim. A mm	Dim. B mm	Dim. C mm	Cat. No.
Bin: Plastic, black				
5	237	205	230	502.94.002
11	310	280	300	502.94.000
13			350	502.94.001
Bin: Aluminium				
5	237	205	230	502.94.003

Packing: 1 piece

Installation



Flush mounted



Surface mounted


For hooking onto rail

Compost bin

5 litres



5



- Installation: For hooking onto door or rail

Capacity l	Material	Cat. No.
5	Bin and lid: Plastic, green	502.47.900

Packing: 1 piece



Sinks


For cabinet width min. 450 mm




- Material: Stainless steel
- Finish: Smooth
- Version: 1 1/2" stopper valve

Order reference
Sink is supplied without valve and holes for mixer tap.

→ Sink with draining surface



- Installation height: Without waste kit 140 mm
- Cut-out: 840 x 415 mm (L x W)




Supplied with
1 Sink, 1 drain connection


Version	Cat. No.
Reversible	565.95.010

Packing: 1 set

→ Sink, round



- Area of application: Ideal for kitchenettes
- Installation height: Without waste kit 150 mm
- Cut-out: Ø 433 mm




Supplied with
1 Sink, 1 drain connection


	Cat. No.
Sink, round	565.95.100

Packing: 1 set

→ Sink



- Area of application: Ideal for kitchenettes
- Installation height: Without waste kit 150 mm
- Cut-out: 410 x 380 mm (L x W)



Supplied with
1 Sink, 1 drain connection


	Cat. No.
Sink	565.95.000

Packing: 1 set



Single lever tap


- Material: Brass, ceramic cartridge
- Version: Quick fixing system, high pressure (HP): Aerator, low pressure (LP): Jet regulator
- Swivelling range: 360°



- Version: Flexible connecting hoses: 350 mm, tap flow category Z

Finish	HP	LP
Chrome plated	566.80.020	566.80.021
Stainless steel coloured	566.80.000	566.80.001

Packing: 1 piece



- Version: Flexible connecting hoses: 350 mm, tap flow category A

Finish	HP	LP
Chrome plated	566.82.620	566.82.621

Packing: 1 piece

Tool case

For mounting taps and sinks


Contents	Cat. No.
Basin wrench with SW 10 and 13 sockets, hanger bolt wrench M 10 and SW 17 /19, plate punch 35 mm, HSS-Co drill bit 5 mm, HSS-Co drill bit 10 mm, multi-function spray 100 ml	001.42.200

Packing: 1 piece

Single lever tap

- Material: Brass, cartridge: Ceramic
- Version: High pressure (HP): Aerator, low pressure (LP): Jet regulator, tap flow category A, tap flow 5 l/min.

→ Standard




- Version: Quick fixing system, flexible connecting hoses: 350 mm

Finish	Swivelling range	HP	LP
Chrome plated	360°	566.81.420	566.81.421

Packing: 1 piece

→ Pull-out spout




- Version: With backflow preventer, copper pipes Ø 10 mm

Finish	Swivelling range	HP
Chrome plated	110°	566.81.422

Packing: 1 piece

→ Window sink tap



- Version: Flexible connecting hoses: 800 mm, remaining base height: 25 mm

Finish	Swivelling range	HP
Chrome plated	360°	566.81.426

Packing: 1 piece

DGH-M-INT 2013, HDE-en, 01/13; Dimensional data not binding. We reserve the right to alter specifications without notice.

GAEB

6

Taps



Which ventilation grill meets your requirements?

There are many situations in the kitchen, living room and bedroom, bathroom, gastronomy, laboratory equipping and store fixture areas, in which ventilation grills can be used as a technical fitting or design element. You will find suitable solutions in many different shapes and sizes for these different individual requirements here.



You will find the right ventilation grill in an instant here.




6

Ventilation Trims and Grills

Round solutions

Apertures



- 31 37 ► FF 6.102
- 34 39 ► FF 6.102
- 35 48 ► FF 6.103
- 43 49 ► FF 6.104
- 60 65 ► FF 6.104

Slots



- 35 50 ► FF 6.103
- 44 48 ► FF 6.103
- 60 65 ► FF 6.103
- 80 90 ► FF 6.104
- 110 120 ► FF 6.104

Grill



- 50 ► FF 6.103
- 60 ► FF 6.103


Trim



- 25 29 ► FF 6.102
- 25 30 ► FF 6.102
- 34 38 ► FF 6.102
- 35 38 ► FF 6.102
- 34 39 ► FF 6.102
- 45 49 ► FF 6.102


Additional solutions

With louvres




- 99 123 ► FF 6.104

Oval




- 34 40 168 ► FF 6.105

For recess mounting




- 480 52 ► FF 6.118
- 480 83.5 ► FF 6.118
- 480 104 ► FF 6.118

For individual dimensions



- ≤1950 ≤880 Topco ► FF 6.112

For screw fixing



- 250 70 ► FF 6.107
- 85 500 100 465 ► FF 6.120
- 85 1000 100 965 ► FF 6.120

With arresting pins



- 500 61 80 480 ► FF 6.120
- 500 85 100 485 ► FF 6.119
- 500 81 100 480 ► FF 6.120
- 1000 85 100 985 ► FF 6.119

Decorative grills

- FF 6.121